

PUBLIC MEETING OF THE WOU BOARD'S EXECUTIVE, GOVERNANCE AND TRUSTEESHIP COMMITTEE (EGTC) Meeting No. 17 August 27, 2019 1:00pm – 2:00pm Hamersly Library, Room 301-A

AGENDA

- 1) CALL-TO-MEETING AND ROLL CALL
- 2) CHAIR'S WELCOME/ANNOUNCEMENTS
- 3) DISCUSSION/ACTION ITEMS:
 - (a) WOU:Salem Capital Purchase
- 4) ADJOURNMENT



Salem:WOU Capital Purchase

Table of Contents

- 1) WOU Staff Recommendation to EGTC
- 2) Updated Trade Street Purchase Overview
- 3) Addendum to the Real Estate Agreement
- 4) Memorandum: Code Review
- 5) Financing Options
- 6) Vick Building Proforma
- 7) Vick Building Gantt Overview
- 8) Vick Building Punch List
- 9) Information Technology Infrastructure for WOU:Salem
- 10)Safety and Security Needs Assessment

Executive, Governance, and Trusteeship Committee (EGTC), August 27, 2019 WOU:Salem Capital Purchase

By the results of price negotiation and due diligence, the staff determine that the Vick Building located at 525 Trade St. SE, Salem, OR 97301 will strategically enhance the university's fixed assets to fulfill its mission by providing sufficient and adequate academic space for Salem-bound students. Negotiated purchase price of \$2,735,000 represents a cost of \$75.56 per square foot. The purchase of the building will add six classrooms and one computer lab, accommodating up to 498 occupants at any given time. This occupancy does not cross the 500 occupant threshold and will not trigger a seismic upgrade per AC+Co Architecture Community determination.

The academic pro forma estimates that the building at full capacity will run at a positive margin after accounting for direct and indirect expenditures (including depreciation). The academic programs may be offered at the building as early as Fall 2020. Financing pro forma considered three funding sources, with the staff recommending purchase utilizing reserves with a future revolving line of credit established to replenish cash on hand.

STAFF RECOMMENDATION:

Staff recommends that the Western Oregon University Executive, Governance, and Trusteeship Committee (EGTC) recommend the purchase of the building located at 525 Trade St. SE, Salem, OR 97301 at the price of \$2.735 million to the full board for approval. The purchase and capital improvements are to be financed by drawing \$3.5 million of the university reserves, with a future revolving line of credit established to replenish cash on hand.



Total Sq. Ft: 36,197 Sq Ft Basement: 11,867 Sq Ft First Floor: 12,165 Sq Ft Second Floor: 12,165 Sq Ft Private Parking Lot: 40 spaces

List Price: \$2,950,000 (reduced from \$3,100,000) Conditional Agreed Upon Price: \$2,725,000 Due Diligence: 90 Days Inspections Deadline: July 22 Final Board of Trustee Approval Deadline: August 21 Re-Negotiated Price: \$2,735,000

Re-negotiated price increased due to extended timeline resulting in \$10,000 additional expenses to the seller. In addition, \$100,000 will go towards creating a Yost Scholarship for Leadership endowment fund, providing approximately \$4,000 per year in student scholarships.

Due diligence resulted in approximately \$600,000 of repairs and deferred maintenance. Upon BOT approval, closing will take place on September 13, 2019.

Zoned CB – Central Business District Adult and Post-Secondary Education is permitted

Most recent traffic count (2017) had 17,000 cars per day

Walking distance to State Capitol Building and Transit Mall, and in the heart of downtown Salem makes this property appealing for visibility (signage = marketing and awareness), access to amenities, and convenience for students.

ADDENDUM TO REAL ESTATE SALE AGREEMENT

| 1 | This is | an Addendum to: 🗵 Real Estate Sale Agreement 🛛 Seller's Counter Offer 🛛 Buyer's Counter Offer |
|------------------|----------------|---|
| 2 | RE: Re | eal Estate Sale Agreement No. 19-157 Dated 5-16-2019 Addendum No. B |
| 3 | Buyer: | Western Oregon University |
| 4 | Seller: | Yost Properties, LLC |
| 5 6 7 8 | The rea | I property described as: 525 Trade Street SE, Salem, OR 97301 (R89049/R89050) |
| 9 | SELLER A | ND BUYER HEREBY AGREE THE FOLLOWING SHALL BE A PART OF THE REAL ESTATE SALE AGREEMENT REFERENCED ABOVE. |
| 10 | 1. | Purchase price to be \$2,735,000.00. |
| 11 | 2. | Seller agrees to a closing date of on or before September 13, 2019. \$10,000.00 of the purchase |
| 12 | | price increase due to Seller incurred costs for this closing date. |
| 13 | 3. | Seller agrees to gift \$100,000.00 to the Western Oregon University Foundation at closing, |
| 14 | | establishing the "Yost Scholarship for Leadership" to provide scholarships for qualified Salem |
| 15 | | based students on an on-going basis. |
| 16 | 4. | Buyer agrees to grant Seller 30 days after closing to remove all personal property from the |
| 17 | | building. During this time, Seller agrees to insure his personal possessions, but not the building |
| 18 | | itself. |
| 19 | 5. | Buyer releases all contingencies, with the exception of full board approval at scheduled board |
| 20 | | meeting on September 11, 2019. |
| 21 | | |
| 22 23 | | AINING TERMS AND CONDITIONS NOT OTHERWISE MODIFIED SHALL REMAIN IN FULL FORCE AND EFFECT. |
| 24 | Buyer S | Signature Tetyan Kasaman Date <u>8</u> , <u>5</u> <u>8</u> a.m p.m. |
| 25 | | Signature Date, a.m p.m. |
| | 20 20 | |
| 26 | (¹ | |
| 27 | Seller S | Signature Koger Yost Date, PM PDT a.m p.m. |
| 28 | Seller S | ي |
| | | 8/2/2019 4:39 PM PDT |
| 29 | | |
| 30 | Selling Li | censee: George Grabenhorst Listing Licensee: Terry Hancock |
| 31 | Selling | Firm Broker Initials/Date / Listing Firm Broker Initials/Date / 4:39 PM PDT |

Memorandum



To:Michael Smith, Western Oregon University (WOU)From:Blake Bural, AC+CoSubject:Code Review – Vick Building

Date: July 16, 2019

Our office was asked to perform an initial commercial code review and zoning code review for the existing Vick building located at 525 Trade Street SE, Salem, OR. We used the 2014 Oregon Specialty Structural Code and Salem's Revised Code for our analysis. We had previously drawn the building and in general our plans match the existing conditions found today. We performed two code analysis's for WOU. First was an analysis based on their desired use of the building. Further analysis is described below. Then we performed a second code analysis to eliminate what we believe would be required upgrades to the building and that narrative is described below as well.

Initial code summary is found in the attached pdf title 19078-A0.1. Based on identified room uses from WOU we calculated an occupancy at 639 people. Per Chapter 16 of the OSSC adult education buildings with an occupancy over 500 will trigger a mandatory seismic upgrade as this triggers a risk category change from II up to III (which is more restrictive). With the above-mentioned occupancy load, we analyzed the plumbing fixtures within the building and found that additional restrooms would need to be built in order to meet minimum fixture counts. Egress was generally checked, there are multiple stairs and exits, however the lack a complete corridor on the 2nd floor to the SE stair would need to be further reviewed for compliance if left as-is. What corridors exist appear to meet minimum OSSC requirements with fire rated doors and frames. Given the above information and required upgrades we looked at the building with new a different mix of uses and performed a second code analysis.

The second analysis, pdf title 19078-A0.1 v2, maintained a number of the initial space uses however changes in uses which would limit the number of people in the building was analyzed. The second pass arrived with an occupancy at 498 which did not cross the 500 occupant threshold. So, in our opinion there is not a mandatory trigger for a seismic upgrade as the building's risk category would remain at a class II. Then given the new occupant load of 498 we again analyzed the existing restrooms and found the existing restrooms to meet the minimum number of fixtures required. Lastly, related to egress we showed a new extension to the 2nd floor corridor to complete the path which we feel is necessary from a code perspective.

Our office did confirm with the City of Salem that in 2002 they have a registered B Occupancy for the building. So, a firsttime occupancy is not needed for either Building & Safety or the Planning department. If WOU intends to occupy the building, prior to occupancy, you will need to do at a minimum a building permit to build the proposed corridor walls and confirm occupancy, and then do a class 1 site plan review for the change of use.

There are further details in the attached code reviews. This memo is serving to provide a narrative for the more pertinent items. Feel free to call or write with any additional questions.


END OF MEMO

Encl.

cc: File

2109.0078.000-3B

| | | | INTERIOR FINISH | ES (C | | R 8) |
|--|--|---|---|--------------------|---|-------------------------|
| VICK BUILDING CODE ANALSYSI PROJECT NUMBER: 2019.0074 STATE OF OREGON 2014 STRUCTURAL SPEC | IALTY CODE, AMENDMENTS BASED ON 2012 IBC | | OCCUPANCY : VERTICAL EXITS: | | GROUP B CLASS A | |
| PRINCIPAL ARCHITECT: BLAKE BURAL, AIA PROJECT DESCRIPTION: CODE ANALYSIS TO USE. | CONVERT FORMER OFFICE BUILDING TO SECONDARY S | CHOOL | EXIT CORRIDORS: ROOMS | | CLASS B CLASS C | |
| ZONING CODE | | | FIRE PROTECTIC | N SYS | <u> 37EM (0</u> | <u>CHA</u> |
| LISTED ZONE: OVERLAY | CB CENTRAL BUSINESS GENERAL RETAIL OFFICE OVERLAY | | B OCCUPANCY EXISTING BUILDING | | NON-SPRINK | KLED |
| ADJACENT ZONES: NORTH WEST EAST SOUTH | CB CENTRAL BUSINESS CB CENTRAL BUSINESS CB CENTRAL BUSINESS PA PUBLIC AMUSEMENT | | PORTABLE FIRE EXTINGUISHERS SHOWN ON PLANS | | TBD | |
| PERMITTED USE: | POST SECONDARY / ADULT EDUCATION | SECT. 524.1 | FIRE ALARM B OCCUPANCY, REQUIRED I | IF | OCC LOAD > OCC LOAD > OTHER THAN | > 100 ON |
| DEVELOPMENT STANDARDS: HEIGHT LOT SIZE: | NO MAX NONE | SECT. 524.4 SECT. 524.2 | MEANS OF EGRE | ESS (C | | |
| SET BACKS: ABUTTING STREET (WEST / SOUTI | | SECT. 524.3 | OCCUPANT LOAD: EGRESS WIDTH : | | 639 OCCUPA | ANTS |
| INTERIOR SIDE/REAR | 6 FT OR 10 FT - VEHICULAR USE NONE - BLDG 5 FT - VEHICULAR USE | | REQUIRED: PROVIDED: | | 689 OCC x ((36: EA (2) 72: EA (6) | (0.2) = 1 = 7 = 4 |
| OFF-STREET PARKING: | NONE REQUIRED, PROPERTY IN DOWNTOWN PARKING | DISTRICT | STAIR EGRESS WIDTH REQUIRED: | | 689 OCC x ((| |
| EXISTING PARKING HANDICAP PARKING: TOTAL REQUIRED: | = 41 PS = 2 PS | | PROVIDED: | (| STAIR 1 = 6'- STAIR 2 = 4'- STAIR 3 = 6'- STAIR 4 = NE | -3" -0" |
| TOTAL PROVIDED: BICYCLE PARKING: | = 0 PS, DOES NOT COMPLY ADULT EDUCATION | SECT. 806-8 | EGRESS ILLUMINATION: | | REQUIRED | ~~~~~ |
| PARKING REQUIRED: | 4 OR 1 PER 10,000 SF = 4 PS | | ACCESSIBLE EGRESS | | NOT REQUIR | |
| TOTAL PROVIDED: | = 4 PS, COMPLIES (LOCATION TBD) EDUCATION USE | | PANIC HARDWARE | | OCC LOAD > | > 50, |
| TOTAL REQUIRED: TOTAL PROVIDED: | = 1 PS = 0 PS, COMPLIES | SECT. 806-9 | B OCCUPANCY | | 75 FT | |
| OVERLAY ZONE | USING 806.075,a EXCEPTION - NO DELIVERIES OV OF DELIVERY TRUCK WEIGHT | ER 8,000 LBS | SPACES WITH ONE EXIT EXIT TRAVEL DISTANCE | | B OCC 49 MA | |
| DESIGN REVIEW GUIDELINES AND STAND | | | B OCCUPANCY, NON-SPRIN | KLED | 200 FT, COM | 1PLIES |
| ENTRANCE: | PRIMARY BUILDING ENTRANCE PROVIDED FOR EACH STREET. THERE IS A NEW FACING THE SOUTH, WES SIDES OF THE BUILDING | | RATING WIDTH | | B OCC, NON- 44 INCHES M | |
| WINDOWS: | SUBJECT TO EXISTING BUILDING STANDARD, WINDC BE REDUCED IN GLAZING PERCENTAGE PER 632.025 | | DEAD END | | 20 FEET MIN | I, NON-S |
| CANOPIES: | SUBJECT TO EXISTING BUILDING STANDARD, CANOF NOT BE REDUCED IN LENGTH FROM WHAT EXISTING | | EXITS REQUIRED | | 2 FROM EAC | |
| | 2, B, iv, aa | | STRUCTURAL DE | <u>ESIGN</u> | (CHAP | TER |
| USE AND OCCUPANCY | Y CLASSIFICATION (CHAPTE SECONDARY SCHOOL ABOVE 12TH GRADE | R 3) | RISK CATEGORY: | | | |
| | IEIGHTS AND AREAS (CHAP) | | EXISTING: RISK OF CLASS III | | CLASS II IF OCCUPAN | |
| CONSTRUCTION TYPE: BUILDING AREA: | IIIB, NON-SPRINKLED | TABLE 503 | | | TRIGGERED |) WITH S |
| EXISTING BUILDING BASEMENT | 12,166 SF | | PLUMBING SYST EXISTING SCHOOL | <u> </u> | | |
| FIRST SECOND TOTAL | 12,100 SF 12,166 SF <u>12,166 SF</u> 36,498 SF | | B OCCUPANT LOAD: MALE FEMALE | 639 320 320 | | |
| BASE ALLOWABLE | 19,000 SF PER FLOOR | | MEN | J | | W |
| BUILDING IS CONSIDERED WITH BASEM IS LESS THAN 6 FEET ABOVE GRADE (A | IENT AS THE LOWEST FLOOR IS NOT ABOVE GRADE AND | THE FLOOR ABOVE SECT DEFINITION | B OCC 8 REQUIRED: 8 | LAV UR 5 - | DF SHWR | <u>R WC</u> 8 8 |
| OCCUPANCY SEPARATIONS: | NONE | SECT. 508.4 | REQUIRED W/ URINALS 7 | 5 3 | | 8 |
| TYPES OF CONSTRUC | TION (CHAPTER 6) | | EXISTING: 4 SUMMARY: THE CURRENT BUILDIN | 5 3 NG IS DEFIC | CIENT 2 TOILET | 8 TS AND 1 |
| CONSTRUCTION TYPE: | IIIB, NON-SPRINKLED | TABLE 601 | OREGON ENERG | | | |
| BUILDING ELEMENTS: STRUCTURAL FRAME: | 0-HR | TABLE 601 | BUILDING ENVELOPE | | | |
| EXTERIOR BEARING WALL: INTERIOR BEARING WALL: | 2-HR 0-HR | TABLE 601 TABLE 601 | ROOF REQUIRED PROVIDED | | R-20ci A UNKOW | |
| EXTERIOR NON-BEARING WALL, x < 5'-0" = 5 ≤ x < 10'-0" = 10'-0" ≤ x < 30'-0" = | 1-HR 1-HR 1-HR | TABLE 602 TABLE 602 TABLE 602 | WALLS (ABOVE GRADE - M. REQUIRED | ASS) | U-0.150 | |
| $x \ge 30'-0''$ INTERIOR NON-BEARING WALL | 0-HR | TABLE 602 SECT. 601 | PROVIDED SLAB ON GRADE REQUIRED | | R-15 ME UN-HEA | |
| FLOOR, INCLUDING BEAMS ROOF, INCLUDING BEAMS | 0-HR 0-HR | TABLE 601 TABLE 601 | PROVIDED | | UN-HEA | ATED SL |
| FIRE-RESISTANCE-RA EXTERIOR WALLS, PROJECTIONS 0-2 FT | TED CONSTRUCTION (CHAP NOT PERMITTED (NORTH) | IER 7) | | | U-0.45 U-0.45 (| |
| 2-3 FT 3-30 FT 30 FT + | 24 INCHES 24 INCHES, PLUS 8 INCHES FOR EVERY FOOT < 3FT 20 FEET (EAST, SOUTH, WEST) | | OPAQUE DOORS REQUIRED PROVIDED | | U-0.80 U-0.80 (| (WHERE |
| BUILDINGS, SAME LOT | N/A | SECT. 705.3 | VESTIBULE | | NOT RE | EQUIRE |
| WALL OPENINGS 0-3 FT 30 FT + | UP, NS - NOT PERMITTED (NORTH) UP, NS - NO LIMIT (WEST, SOUTH, EAST) | TABLE 705.8 | | | | |
| UNPROTECTED OPENINGS ALLOWED V | | SECT. 705.8.1 EX 2 | | | | |
| FIRE WALLS | NONE | SECT. 706 | | | | |
| FIRE PARTITIONS | CORRIDOR WALLS, 1-HOUR | SECT 708 | | | | |
| SHAFT ENCLOSURES (STAIRS, ELEVATOR A FIRE RATING: OPENINGS: | 1-HR FIRE BARRIER SHALL BE SELF CLOSING, BY SMOKE DETECTION | SECT. 713 SECT. 713.4 SECT. 713.7 | | | | |
| ELEVATOR LOBBY: | NOT REQUIRED, LESS THAN 4 STORIES | SECT. 713.14.1 | | | | |
| OPENING PROTECTION: DOORS | 60 MIN RATING REQUIRED (ELEVATOR AND STAIR) | TABLE 716.5 | | | | |



EXIT SIGNS REQUIRED (MINIMUM)

| | | 0 | U | | | | | | | | |
|------|--|-------|-------|-----|----------|-------|-------|------|---|---------|--|
| - | - | 8 | 6 | 2 | - | | 1 | 1 | - | - | |
| IENT | 2 TOILETS | AND 1 | LAVAT | ORY | (SINK) F | OR TH | IE CI | JRRE | | CUPANCY | |
| E | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | R-20ci AB UNKOWN | | ECK | | | | | | | | |
| | | | | | | | | | | | |
| | U-0.150 R-15 METAL FURRED AND INSULATED IF NEW OR EXPOSED | | | | | | | | | | |
| | | | | | | | | | | | |
| | UN-HEATED SLAB, NONE UN-HEATED SLAB, NONE | | | | | | | | | | |
| | | | | | | | | | | | |
| | U-0.45 U-0.45 (W | HERE/ | NEW | ARE | PROVID | ED) | | | | | |
| | · | | | | | - | | | | | |
| | U-0.80 | | | | | | | | | | |
| | U-0.80 (W | HERE/ | NEW | ARE | PROVID | ED) | | | | | |
| | NOT REQ | UIRED |) | | | | | | | | |
| | | | | | | | | | | | |

| 9 0 0 | | | | | | | | | | TABL | -E 2902.1 |
|-------------|----|----|------|-----------|---|----|------|------------|---|------|-----------|
| V | UR | DF | SHWR | WON WC | | DF | SHWR | UNIS WC | | UR | SHWR |
| | - | - | - | 8 | 5 | - | - | - | - | - | - |
| | - | - | - | 8 | 5 | - | - | - | - | - | - |
| | 3 | - | - | 8 | 8 | - | - | - | - | - | - |
| | 3 | - | - | 8 | 6 | 2 | - | 1 | 1 | - | - |

EMS (CHAPTER 29)


| CLASS II | SECT 1604.5 |
|---|-------------|
| IF OCCUPANCY OF ADULT EDUCATION BUILE TRIGGERED WITH SEISMIC UPGRADE REQUI | |


SIGN (CHAPTER 16)


| TBD | |
|--|---------------------|
| OCC LOAD > 500 OCC LOAD > 100 ON ANY LEVEL OTHER THAN EXIT DISCHARGE | SECT 907.2.2 |
| (CHAPTER 10) | |
| 639 OCCUPANTS | |
| 689 OCC x (0.2) = 137" = 11'-6" 36: EA (2) = 72" 72: EA (6) = 432" | SECT. 1005.3.2 |
| 689 OCC x (0.3) = 206" = 17'-4" STAIR 1 = 6'-9" STAIR 2 = 4'-3" STAIR 3 = 6'-0" STAIR 4 = NEED TO VERIFY | |
| REQUIRED | SECT. 1006.1 |
| NOT REQUIRED, EXISTNIG BLDG | SECT 1007.1, EX 1 |
| OCC LOAD > 50, | |
| 75 FT | TABLE 1014.3 |
| B OCC 49 MAX OCCUPANTS | TABLE 1015.1 |
| 200 FT, COMPLIES | TABLE 1016.2 |
| B OCC, NON-SPRINKLED = 1 HOUR RATING (>30 OCC LOA 44 INCHES MIN | TABLE 1018.1 \D) |
| 20 FEET MIN, NON-SPRINKLED | SECT 1018.4 |
| 2 FROM EACH FLOOR | |


SS (


| SYSTEM (CHAPTER § | 3) |
|--|---------------|
| NON-SPRINKLED | SECT. 903.2.3 |
| TBD | |
| OCC LOAD > 500 OCC LOAD > 100 ON ANY LEVEL OTHER THAN EXIT DISCHARGE | SECT 907.2.2 |











CODE COMPLIANCE

TABLE 803.9 TABLE 803.9 TABLE 803.9

| INTERIOR FINISHES |
|--|
| OCCUPANCY : OMENTS BASED ON 2012 IBC VERTICAL EXITS: |
| OFFICE BUILDING TO SECONDARY SCHOOL |
| FIRE PROTECTION S |
| BUSINESS B OCCUPANCY EXISTING BUILDING |
| USINESS USINESS |
| USINESS JSEMENT B OCCUPANCY, REQUIRED IF |
| / ADULT EDUCATION SECT. 524.1 |
| SECT. 524.4 SECT. 524.2 MEANS OF EGRESS |
| SECT. 524.3 OCCUPANT LOAD: T - BLDG T - VEHICLE AD LICE |
| T - VEHICULAR USE REQUIRED: PROVIDED: |
| ULAR USE PROPERTY IN DOWNTOWN PARKING DISTRICT REQUIRED: |
| PROVIDED: |
| S NOT COMPLY |
| N SECT. 806-8 EGRESS ILLUMINATION: SF ACCESSIBLE EGRESS |
| PLIES (LOCATION TBD) PANIC HARDWARE |
| SECT. 806-9 COMMON PATH B OCCUPANCY |
| PLIES 75,a EXCEPTION - NO DELIVERIES OVER 8,000 LBS Y TRUCK WEIGHT |
| EXIT TRAVEL DISTANCE B OCCUPANCY, NON-SPRINKLED |
| ING ENTRANCE PROVIDED FOR EACH FACING A E IS A NEW FACING THE SOUTH, WEST AND NORTH |
| BUILDING WIDTH WIDTH WIDTH STANDARD, WINDOWS MUST NOT DEAD END |
| I GLAZING PERCENTAGE PER 632.025, 2,B, ii, aa EXITS REQUIRED |
| ED IN LENGTH FROM WHAT EXISTING PER 632.025, STRUCTURAL DESI |
| FICATION (CHAPTER 3) |
| OOL ABOVE 12TH GRADE SECT 304 EXISTING: |
| |
| ND AREAS (CHAPTER 5) |
| AD AREAS (CHAPTER 5) ED TABLE 503 |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 |
| AD AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 ST FLOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE B OCC MEN B OCC 6 5 REQUIRED: 6 5 |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 ST FLOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE B OCC |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 FEMALE 249 B OCC 6 SECT. 508.4 EXISTING: PTER 6) SUMMARY: THE CURRENT BUILDING IS COMPANY |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 FEMALE 249 B OCC 6 SECT. 508.4 B OCC PTER 6) TABLE 601 |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 FEMALE 249 SECT. 508.4 B OCC FER 6) 6 ED TABLE 601 TABLE 601 OREGON ENERGY C DUILDING ENVELOPE DUILDING ENVELOPE |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 FEMALE 249 ST FLOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE SECT DEFINITION B OCC 6 SECT. 508.4 B OCC 6 5 PTER 6) TABLE 601 601 5 FABLE 601 TABLE 601 ROOF BUILDING ENVELOPE REQUIRED ROOF ROOF ROOF |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 4 SUITING: 4 FEMER 601 5 TABLE 601 TABLE 601 TABLE 601 ROOF FEQUIRED PROVIDED PROVIDED WALLS (ABOVE GRADE - MASS) |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 5 SECT. 508.4 5 FED TABLE 601 TABLE 601 TABLE 601 TABLE 601 ROOF REQUIRED PROVIDED |
| ND AREAS (CHAPTER 5) ED TABLE 503 ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 FEQUIRED 6 FEQUIRED W/ URINALS 5 SUMMARY: THE CURRENT BUILDING IS (0 OF REQUIRED TABLE 601 ROOF TABLE 602 NALLS (ABOVE GRADE - MASS) REQUIRED PROVIDED VALLS (ABOVE GRADE - MASS) REQUIRED POVIDED< |
| ND AREAS (CHAPTER 5) ED TABLE 503 ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 SECT. 508.4 B OCC FTABLE 601 5 TABLE 601 TABLE 601 TABLE 601 TABLE 601 TABLE 601 TABLE 601 TABLE 602 TABLE 602 TABLE 602 SLAB ON GRADE PROVIDED WALLS (ABOVE GRADE - MASS) REQUIRED PROVIDED PROVIDED WALLS (ABOVE GRADE MASS) SLAB ON GRADE REQUIRED PROVIDED WINDOWS WINDOWS |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 SECT 508.4 0000 FTABLE 601 5 TABLE 601 TABLE 601 TABLE 601 REQUIRED PE TABLE 601 REQUIRED PE TABLE 602 SECT. 601 TABLE 602 SLAB ON GRADE - MASS) REQUIRED PROVIDED REQUIRED PROVIDED WALLS (ABOVE GRADE - MASS) REQUIRED PROVIDED SECT. 601 TABLE 601 TABLE 601 REQUIRED PROVIDED SLAB ON GRADE REQUIRED PROVIDED SLAB ON GRADE PROVIDED WINDOWS REQUIRED PROVIDED |
| ND AREAS (CHAPTER 5) ED TABLE 503 ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL 498 B OCCUPANT LOAD: 498 MALE 249 DOR B OCCUPANT LOAD: 498 ST FLOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE B OCC 6 5 SECT. 508.4 B OCC 6 5 PTER 6) TABLE 601 5 5 ED TABLE 601 TABLE 601 5 TABLE 601 TABLE 602 TABLE 602 REQUIRED BUILDING ENVELOPE TABLE 602 TABLE 602 TABLE 602 REQUIRED REQUIRED TABLE 601 TABLE 602 SLAB ON GRADE MALS (ABOVE GRADE - MASS) REQUIRED TABLE 601 REQUIRED PROVIDED TABLE 601 TABLE 601 REQUIRED PROVIDED NORTH) OPAQUE DOORS |
| ND AREAS (CHAPTER 5) ED TABLE 503 ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL 498 B OCCUPANT LOAD: 498 MALE 249 DOR SECT DEFINITION SECT. 508.4 B OCC PTER 6) B OCC ED TABLE 601 TABLE 601 REQUIRED PROVIDED PROVIDE |
| ND AREAS (CHAPTER 5) ED TABLE 503 ED TABLE 503 NOR EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 FEMALE 249 ST FLOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE SECT DEFINITION B OCC 6 SECT. 508.4 B OCC 6 5 PTER 6) TABLE 601 5 5 ED TABLE 601 5 5 TABLE 601 TABLE 601 5 5 TABLE 601 TABLE 601 REQUIRED PROVIDED 6 TABLE 601 TABLE 601 REQUIRED PROVIDED 8 TABLE 601 TABLE 601 REQUIRED PROVIDED 8 TABLE 601 TABLE 601 REQUIRED PROVIDED 8 STABLE 601 TABLE 601 REQUIRED PROVIDED 8 TABLE 601 TABLE 601 REQUIRED PROVIDED 8 SCT. 601 TABLE 601 REQUIRED PROVIDED 9 NORTHI 8 INCHES FOR EVERY FOOT < 3FT |
| ND AREAS (CHAPTER 5) ED TABLE 503 ED TABLE 503 DOR EXISTING SCHOOL ST FLOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE SECT. 508.4 EXISTING SCHOOL PTER 6) B OCC ED TABLE 601 TABLE 601 REQUIRED PROVIDED VWALLS (ABOVE GRADE - MASS) REQUIRED PROVIDED SLAB ON GRADE - MASS) REQUIRED PROVIDED STRUCTION (CHAPTER 7) NORTH) 8 INCHES FOR EVERY FOOT < 3FT |
| ND AREAS (CHAPTER 5) ED TABLE 503 ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL 6 B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 FEMALE 249 FEMALE 249 ST FLOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE SECT DEFINITION 8 OCC SECT 508.4 8 OCC PTER 6) 8 OCC ED TABLE 601 TABLE 601 4 TABLE 601 5 TABLE 601 7ABLE 601 TABLE 601 7ABLE 602 TABLE 602 SLAB ON GRADE TABLE 601 REQUIRED TABLE 601 REQUIRED TABLE 602 SLAB ON GRADE TABLE 601 REQUIRED TABLE 602 SLAB ON GRADE REQUIRED PROVIDED WINDOWS REQUIRED REQUIRED PROVIDED PROVIDED NORTH) SECT. 705.3 MITTED (NORTH) SECT. 705.3 |
| ND AREAS (CHAPTER 5) ED TABLE 503 ED TABLE 503 PICE 249 STELOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE SECT 508.4 B OCC PTER 6) 0 ED TABLE 601 TABLE 601 6 TABLE 601 5 TABLE 601 TABLE 601 TABLE 601 TABLE 601 TABLE 602 TABLE 602 TABLE 601 TABLE 602 TABLE 602 TABLE 602 TABLE 601 TABLE 601 TABLE 601 TABLE 602 TABLE 602 SECT. 601 TABLE 601 TABLE 602 TABLE 601 REQUIRED PROVIDED SECT. 601 TABLE 601 TABLE 601 REQUIRED PROVIDED SECT. 601 TABLE 601 TABLE 601 REQUIRED PROVIDED SECT. 705.3 TABLE 601 TABLE 601 SLAB ON GRADE REQUIRED PROVIDED PROVIDED OPAQUE DORS REQUIRED PROVIDED OPAQUE DOORS REQUIRED PROVIDED PROV |
| ND AREAS (CHAPTER 5)EDTABLE 503EDTABLE 503DOREXISTING SCHOOLST FLOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE SECT DEFINITION SECT. 508.4PTER 6)SECT DEFINITION SECT. 508.4EDTABLE 601TABLE 601TABLE 601TABLE 601TABLE 601TABLE 602TABLE 602TABLE 602TABLE 602TABLE 602SECT. 601TABLE 601TABLE 602TABLE 602SECT. 601TABLE 601TABLE 601TABLE 601SECT. 601TABLE 601SECT. 601TABLE 601SECT. 601TABLE 602SECT. 601TABLE 603SECT. 601TABLE 604REQUIREDWALLS (ABON GRADEPROVIDEDVESTIBULEWINDOWSREQUIRED (NORTH) (WEST, SOUTH, EAST)MITTED (NORTH) (WEST, SOUTH, EAST)HALL S NOT RATEDSECT. 705.8.1 EX 2 |
| ND AREAS (CHAPTER 5) ED TABLE 503 PLUMBING SYSTEM ED TABLE 503 POR EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE 249 FEMALE 249 PCUMBING SYSTEM 9 DOR B OCC STFLOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE B OCC SECT 508.4 B OCC PTER 6) TABLE 601 TABLE 601 TABLE 601 TABLE 601 TABLE 601 TABLE 601 TABLE 601 TABLE 602 TABLE 602 TABLE 602 SECT. 601 TABLE 602 TABLE 602 TABLE 601 REQUIRED TABLE 602 REQUIRED TABLE 602 SECT. 601 TABLE 602 SECT. 601 TABLE 601 REQUIRED STABLE 602 SECT. 705.3 TABLE 601 REQUIRED NORTH) SECT. 705.3 SICHER FOR EVERY FOOT < 3FT |
| ND AREAS (CHAPTER 5) ED TABLE 503 ED TABLE 503 PLUMBING SYSTEM EXISTING SCHOOL B OCCUPANT LOAD: 498 MALE ST FLOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE SECT DEFINITION SECT. 508.4 PTER 6) ED TABLE 601 TABLE 602 TABLE 602 TABLE 601 TABLE 602 TABLE 601 TABLE 602 TABLE 601 TABLE 602 TABLE 601 TABLE 601 TABLE 602 TABLE 601 TABLE 602 TABLE 601 TABLE 601 TABLE 601 TABLE 602 TABLE 601 TABLE 602 TABLE 601 TABLE 601 TABLE 602 TABLE 601 TABLE 601 TABLE 602 TABLE 601 |
| ND AREAS (CHAPTER 5) ED TABLE 503 PIUMBING SYSTEM SOR STFLOOR IS NOT ABOVE GRADE AND THE FLOOR ABOVE SECT DEFINITION SECT. 508.4 PTER 6) ED TABLE 601 SCCT. 705.3 TABLE 705.8 REQUIRED |
| |

CODE COMPLIANCE

ES (CHAPTER 8)

| GROUP B | |
|--|----------------------------|
| CLASS A CLASS B | TABLE 803.9 TABLE 803.9 |
| CLASS C | TABLE 803.9 |
| SYSTEM (CHAPTER 9) | |
| | |
| NON-SPRINKLED | SECT. 903.2.3 |
| TBD | |
| OCC LOAD > 500 OCC LOAD > 100 ON ANY LEVEL | SECT 907.2.2 |
| OTHER THAN EXIT DISCHARGE | SECT 907.2.2 |
| S (CHAPTER 10) | |
| 498 OCCUPANTS | |
| 498 OCC x (0.2) = 100" = 8'-3" 36: EA (2) = 72" 72: EA (6) = 432" | SECT. 1005.3.2 |
| 498 OCC x (0.3) = 150" = 12'-6" STAIR 1 = 6'-9" STAIR 2 = 4'-3" STAIR 3 = 6'-0" STAIR 4 = NEED TO VERIFY | |
| REQUIRED | SECT. 1006.1 |
| NOT REQUIRED, EXISTNIG BLDG | SECT 1007.1, EX 1 |
| OCC LOAD > 50, | |
| 75 FT | TABLE 1014.3 |
| B OCC 49 MAX OCCUPANTS | TABLE 1015.1 |
| D 200 FT, COMPLIES | TABLE 1016.2 |
| B OCC, NON-SPRINKLED = 1 HOUR RATING (>30 44 INCHES MIN | TABLE 1018.1 OCC LOAD) |
| 20 FEET MIN, NON-SPRINKLED | SECT 1018.4 |

SIGN (CHAPTER 16)

2 FROM EACH FLOOR

| CLASS II | SECT 1604.5 |
|--------------------------------|--------------------------------------|
| IF OCCUPANCY OF ADULT EDUCATIO | N BUILDING > 500, CLASS III CATEGORY |
| TRIGGERED WITH SEISMIC UPGRADE | E REQUIRED, IT IS NOT SO THIS IS NOT |
| TRIGGERED | |

MS (CHAPTER 29)

| | - | - | | | | | | | | | |
|-------------|----|----|------|-----------|------------|----|------|------------|-----------|------|-----------|
| 8 9 9 | | | | | | | | | | TABL | .E 2902.1 |
| V | UR | DF | SHWR | WON WC | IEN LAV | DF | SHWR | UNIS WC | EX LAV | UR | SHWR |
| | - | - | - | 6 | 5 | - | - | - | - | - | - |
| | - | - | _ | 6 | 5 | - | - | - | - | - | - |
| | 3 | - | - | 6 | 5 | - | - | - | - | - | - |
| | 3 | - | - | 8 | 6 | 2 | - | 1 | 1 | - | - |

S IS COMPLIANT WITH REQUIRED RESTROOMS

CODE

R-20ci ABOVE DECK

UNKOWN

U-0.150 R-15 METAL FURRED AND INSULATED IF NEW OR EXPOSED

UN-HEATED SLAB, NONE UN-HEATED SLAB, NONE

U-0.45 U-0.45 (WHERE NEW ARE PROVIDED)

U-0.80 U-0.80 (WHERE NEW ARE PROVIDED)

NOT REQUIRED

SYMBOL LEGEND ROOM B 0 10 1 EXIT 1 HOUR SHAFT OR CORRIDOR

OCCUPANCY CLASSIFICATION SQUARE FOOTAGE OF AREA OCCUPANT LOAD FACTOR OCCUPANTS

EXIT SIGNS REQUIRED (MINIMUM)


REQUIRED EXIT






 $\overline{\overline{}}$ STAIR /

(2 SCALE: 1/16" = 1'-0"





Vick Building Financing Options

*Use cash and then call on credit line to replenish cash

| | Scenario 1 | Scenario 2 | Scenario 3 |
|--|------------------------|--|--|
| Sources of Funds Cash on Hand Revolving Line of Credit* Traditional Mortgage | 2,735,000 | 2,735,000 | 2,735,000 |
| Advantages | No interest | Spread over 2 years, assuming interest of 3.5%, no lien, no pre- payment penalty. Annual payment: 1,417,913 Total interest: 100,827 Provides cash reserves for 2 years | Assuming 3.5% interest over 15 years, annual payment would be: 234,624 Total interest: 784,367 Low annual payment amount/not depleting cash reserves |
| Disadvantages | Depletes cash reserves | Paying interest Higher annual payment | Paying interest Lien on property |

Staff Recommendation

We recommend Scenario 2 - this is a conservative approach that does not deplete cash, allows for credit facility with our strong position, and avoids putting a lien on our property, which allows for quick re-sale in necessary.

Note: Buying the property rather than leasing serves as an investment as real estate typically appreciates in value, it also has a 0 net impact on our balance sheet.

Annual Depreciation (non-cash) (straight-line, 39 year, 0 salvage value):

WOU: Salem Projections for Evening/Weekend Schedule

| | Amount | Note | | |
|---------------------------------|-----------|--|------------------------------|--------|
| Revenue* | | | | |
| Tuition | 2,483,712 | Assumes full capacity | Assumptions | |
| | | | Rooms per Night | 6 |
| Direct Operating Expenses | | | Sections per Room | 3 |
| Personnel | | | Days per Week | 4 |
| Teaching Salaries | 1,134,000 | Sections @ \$4500/ section | Saturday Rooms | 6 |
| Teaching OPE | 362,880 | | Saturday Session | 2 |
| PLC Stipends | 42,000 | @ \$500/ section | Total Sections per Term | 84 |
| PLC Stipends OPE | 13,440 | | Terms per Year | 3 |
| Site Director | 80,000 | 1.0 Site Director | Sections per Year | 252 |
| Site Director OPE | 42,604 | | Average Credits per Section | 4 |
| Academic Programming | 32,770 | 25% of Associate Provost for Program Development | Head Count Per Course | 14 |
| Academic Programming OPE | 14,737 | · · · · | Total Credit Hours Generated | 14,112 |
| Student Support Staff | 63,444 | 1 Support Staff @ \$45,000+ OPE | Res UG Tuition Rate | 176 |
| | | \$13 * 5.5 hours/night * 5 nights per week * 33 weeks; | | |
| Student Workers | 12,033 | plus 2% OPE | | |
| Total Personnel | 1,797,908 | | | |
| Services & Supplies | | | | |
| Utilities | 30,000 | | | |
| Security | 5,000 | | | |
| S&S | 100,000 | Additional Room Equipment + Operating Supplies | | |
| Total S&S/ Non-Personnel | 135,000 | | | |
| | | | | |
| Total Direct Operating Expenses | 1,932,908 | | | |
| Indirect Expenses | | | | |
| Depreciation | 70.128 | | | |
| Overhead | 193,291 | 10% of Direct Operating Expenses | | |
| Total Indirect Expenses | 263,419 | | | |
| | | | | |
| Operating Income (Loss) | 287,385 | | | |

*This does not include any resulting additional revenues from the SSCM, or potential rent from future tenants.

WOU: Salem Projections for All Day + Evening/Weekend

| | Amount | Note | | |
|---------------------------------|-----------|---|------------------------------|--------|
| Revenue* | | | | |
| Tuition | 5,322,240 | Assumes full capacity | Assumptions | |
| | | | Rooms per Night | 6 |
| Direct Operating Expenses | | | Sections per Room | 7 |
| Personnel | | | Days per Week | 4 |
| Teaching Salaries | 2.430.000 | Sections @ \$4500/ section | Saturday Rooms | 6 |
| Teaching OPE | 777,600 | | Saturday Session | 2 |
| PLC Stipends | | @ \$500/ section | Total Sections per Term | 180 |
| PLC Stipends OPE | 28,800 | | Terms per Year | 3 |
| Site Director | 80,000 | 1.0 Site Director | Sections per Year | 540 |
| Site Director OPE | 42,604 | | Average Credits per Section | 4 |
| Academic Programming | 32,770 | 25% of Associate Provost for Program Development | Head Count Per Course | 14 |
| Academic Programming OPE | 14,737 | | Total Credit Hours Generated | 30,240 |
| Student Support Staff | 126,888 | 2 Support Staff @ \$45,000+ OPE | Res UG Tuition Rate | 176 |
| | | \$13 * 5.5 hours/night * 5 nights per week * 33 weeks * 2 | | |
| Student Workers (2) | 24,067 | students; plus 2% OPE | | |
| Total Personnel | 3,647,466 | | | |
| Services & Supplies | | | | |
| Utilities | 30.000 | | | |
| Security | 5,000 | | | |
| S&S | | Additional Room Equipment + Operating Supplies | | |
| Total S&S/ Non-Personnel | 135,000 | | | |
| | | | | |
| Total Direct Operating Expenses | 3,782,466 | | | |
| Indirect Expenses | | | | |
| Depreciation | 70,128 | | | |
| Overhead | | 10% of Direct Operating Expenses | | |
| Total Indirect Expenses | 448,375 | | | |
| | | | | |
| Operating Income (Loss) | 1,091,400 | | | |

*This does not include any resulting additional revenues from the SSCM, or potential rent from future tenants.

| | | Start Date | Sep 1 | 3, 2019 | | | | | | | | | |
|--------------|-------------------------------------|---------------|---|---------|---|--------------|----------------|-----|---------|--|----------------|---|--|
| Month | 1 | 2 | 3 | 4 | 5 | 6 7 8 | 9 | 10 | 11 | 12 | 13 | 14 | |
| | Sep | Oct | Nov | Dec | | eb Mar Ap | r May | | Jul | Aug | Sep | Oc | |
| | '19 | '19 | '19 | '19 | | 20 20 20 | | | '20 | '20 | '20 | '20 | |
| Phase | Building Needs Assessment | | | | | | | | | | | | Finalize list of needs/ Create specific WOU committees for project advising |
| One | Roof/Asbestos Abatement RFP | | | | | | | | | | | | Create scope of work/ Include Abatement estimates. |
| Planning | Lock & Door Planning | | | | | | | | | | | | Note: Building exterior will get rekeyed immediately. Interior will happen as soon as parts are delivered. |
| & | Architect Selection | | | | | | | | | | | | Work with local Architect familiar with this building. |
| Review | UCS Needs Assessment | | | | | | | | | | | | Low Voltage Needs/Communication with main Campus |
| | CPS Needs Assessment | | | | | | | | | | | | Security Analysis/Local Law enforcement contacts |
| | WOU Salem Academic Assessment | | | | | | _ | | | | | | Signage/Parking policies/Student Services |
| | ADA Needs Assessment | | | | | | _ | | | | | | Malissa and Team will review for general initial needs |
| Phase | | Roof Replacer | nent | | | | | | | | | | Replace roof and abate Asbestos |
| Two | | Lock & Door F | le-Key | | | | _ | | | | | | Install interior locks as construction completes |
| Construction | | Design/Permit | Design/Permitting/ City Code Management/Certificate | | | icate of Oco | e of Occupancy | | | | | Architect will get official letters for occupancy | |
| | | | Mechanical, Electric | | ctrical, Plumbing/ Interior and Exterior Work | | | | | Repair/Replace/Build Fire Corridors/New roof access/ Exterior work to include parking lot. | | | |
| | | | Low Voltage/ Teleco | | lecom/Cam | ieras | | | | | | UCS will coordinate/Install | |
| | Announcement Pending Board Approval | | | | | | _ | | | | | | WOU official announcement to community |
| Phase | | | | | | | _ | | | | WOU SALEM OPE | IN | Open for business |
| Three | | | | | C | Order and in | stall FFE | | | | | | Fixtures, Furnishing and Supplies/ Review and order ADA specific furniture needs |
| Move in | | | | | | | | Est | ablish | Service/Suppo | ort Procedures | | Building Services Procedures (cleaning, garbage, repair requests) |
| & | | | | | | | _ | Est | ablish | Security & Saf | ety Protocols | | Emergency preparedness procedures in place |
| Kickoff | | | | | | | | AD | A Final | Review | | | WOU Standards for ADA are in place |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Milestone Dates

| 9/11/2019 | Board Approval |
|------------|---------------------------------|
| 9/13/2019 | Sale Finalized |
| 9/30/2019 | Bid process concluded |
| 10/15/2019 | Construction Begins |
| 8/30/2020 | Construction Complete |
| 9/1/2020 | Furniture and occupants move in |
| 9/30/2020 | First Day of WOU Salem Classes |

Vick Building Punch List - 525 Trade Street, Salem, OR

| # | ITEM | Page # | Description or Table # | Self or Contract | Cost | Phase 1 | Phase 2 | Phase 3 |
|----|--|---------|---------------------------------------|------------------|--------------|-----------------------|----------------------|-------------|
| 1 | Roof Replacement | 16 | n/a | Contract | \$365,000.00 | \$182 <i>,</i> 500.00 | \$182,500.00 | |
| 2 | Chimney Coping | 17 | 1 | Self | \$200.00 | | \$200.00 | |
| 3 | Tree Trimming | 19 | ltem 9 | Contract | \$750.00 | | \$750.00 | |
| 4 | Window Replacement 2nd floor | 25 | 2.2 | Contract | \$75,000.00 | \$25 <i>,</i> 000.00 | \$25 <i>,</i> 000.00 | \$25,000.00 |
| 5 | Uneven sidewalks ADA | 27 | 2.5 | Contract | \$1,200.00 | \$1,200.00 | | |
| 6 | Asphault resurface | 27 | 2.5 (item 3 - 4) | Contract | \$7,000.00 | \$2,000.00 | \$2,000.00 | \$3,000.00 |
| 7 | Slope landscaping and direct water away from building | 27 | 2.5 (Item 5) | Self | \$1,200.00 | \$500.00 | \$800.00 | |
| 8 | Soffett Repairs | 28 | 2.6 (Item 1 - 5) | Contract | \$4,000.00 | \$2,000.00 | \$2,000.00 | |
| 9 | Exterior Faucets Repair | 29 | 2.7 | Self | \$100.00 | \$100.00 | | |
| 10 | Galvanzed Pipe Repair | 33 | 4.1 | Self | \$1,200.00 | | \$1,200.00 | |
| 11 | Water Fountain in Basement | 34 | 4.1 Item 2 | Self | \$750.00 | \$750.00 | | |
| 12 | Oil Tank Possibility on Grounds (Possibly filled already) | 35 | 4.4 | Contract | \$2,000.00 | \$2,000.00 | | |
| 13 | Roof Access | 37 | 5 | Self | \$8,000.00 | | \$8,000.00 | |
| 14 | Replace Stained Ceiling Tiles | 38 | 5.0 (Item 2 - 4) | Self | \$450.00 | \$450.00 | | |
| 15 | First Floor Single Pane Windows | 41 | 5.4 | Contract | \$18,000.00 | \$6,000.00 | \$6,000.00 | \$6,000.00 |
| 16 | Misc. Plumbing | 46 | 6.5 | Self | \$2,000.00 | \$1,000.00 | \$1,000.00 | |
| 18 | Zinsco Panel Replacement | 53 | 7.1 | Self | \$2,500.00 | \$2,500.00 | | |
| 19 | Misc. Electrical | 55 | 7.2 | Self | \$2,000.00 | \$2,000.00 | | |
| 20 | HVAC Misc. (Hard to determine without turning them on) | 58 - 63 | 7.9 - 8.0 | Self | \$12,000.00 | \$6,000.00 | \$6,000.00 | |
| 21 | All local thermostats need to convert to remote control access | 65 | 8.0 (Items 7 - 9) | Self | \$18,000.00 | \$2,000.00 | \$8,000.00 | \$8,000.00 |
| 22 | AC Units are all on R-22/ Need to be updated | 69 | 8.2 (Item 6 & 7) | Self | \$50,000.00 | \$8,000.00 | \$12,000.00 | \$30,000.00 |
| 23 | Pest Control | 71 | 8.5 | Self | \$100.00 | \$100.00 | | |
| | | - | · · · · · · · · · · · · · · · · · · · | Total | \$571,450.00 | \$244,100.00 | \$255,450.00 | \$72,000.00 |

Information Technology Infrastructure for WOU:Salem

WOU Salem will be fully integrated into the existing WOU network infrastructure. The building will have full wireless capabilities, with a user experience identical to what is seen on the WOU campus. Cybersecurity will be achieved by a full integration of WOU Salem into the existing WOU network. Telephone service will be tightly integrated utilizing the same phone system, allowing 5-digit dialing between campuses and the full WOU phone system capabilities. Digital signage at WOU Salem will use the WOU campus signage server to manage the signs. Security alarms will be tied to the WOU campus security notification system. All smart classrooms, office computers and labs will be connected to the WOU network, using the same login credentials and security infrastructure as when they are on the WOU campus. The door locks can be controlled from the WOU campus. The security camera images will be monitored both at WOU Salem and by Public Safety and will be stored on the WOU campus camera servers.

We are actively searching for dark fiber or conduit that runs from the WOU Salem to the State of Oregon Revenue building. This will allow the WOU Salem network to be an extension of the WOU main network, utilizing existing security infrastructure and extending other services such as telephone, security alarms, security cameras, digital signage and desktop support services. The to do list includes:

- install network switches, network fiber and wire, and wireless access points
- install network security cameras
- install smart classrooms
- install computer labs
- install office computers
- install digital signage
- install ip-telephony
- install ip-security and ip-fire alarms
- install ip-locks

Safety and Security Needs Assessment for Vick Building

WOU Salem safety and security will be provided by a combination of Campus Public Safety (CPS), Salem Policy Department, and Salem Fire department resources. The key is going to be forging new relationships with Salem Police Department and Salem Fire Department to partner with us in providing the safest environment possible. Meetings with those agencies and CPS are planned for September, 2019. In addition, WOU Salem will be monitored by cameras at CPS and will be physically checked daily by CPS officers.

Rebecca Chiles, Director of CPS, and Allen Risen, Occupational and Environmental Health and Safety Officer, inspected the building on June 12, 2019. The following issues will be addressed before the building is occupied:

- Fire Alarm monitoring
- Elevator phone monitoring
- Security alarm installation and monitoring
- Security cameras
- Patrolling the property (every shift, each day, etc.)
- Quarterly building inspections
- Parking Enforcement
- Reporting of crimes, medical, etc.
- Emergency Planning
- Clery reporting

Rebecca Chiles