



Consumer Chemistry: How Organic Chemistry Impacts Our Lives




Abozenadah

Bishop

Bittner

Flatt



To Share or Adapt this Content please Reference:

Abozenadah, H., Bishop, A., Bittner, S. and Flatt, P.M. (2017) Consumer Chemistry: How Organic Chemistry Impacts Our Lives. CC BY-NC-SA. Available at:

Cover photos adapted from:

1. <https://en.wikipedia.org/wiki/Hops#/media/File:Hopfendolde-mit-hopfengarten.jpg>
2. <https://en.wikipedia.org/wiki/Beer#/media/File:GravityTap.jpg>

Chapter 2 materials have been adapted from the following creative commons resources unless otherwise noted:

1. Organic Chemistry Portal. WikiUniversity. Available at: https://en.wikiversity.org/wiki/Portal:Organic_chemistry
2. Anonymous. (2012) *Introduction to Chemistry: General, Organic, and Biological (V1.0)*. Published under Creative Commons by-nc-sa 3.0. Available at: <http://2012books.lardbucket.org/books/introduction-to-chemistry-general-organic-and-biological/index.html>
3. Poulsen, T. (2010) *Introduction to Chemistry*. Published under Creative Commons by-nc-sa 3.0. Available at: <http://openedgroup.org/books/Chemistry.pdf>



Table of Contents:	5
Chapter 2:	6
Section 2.1: What is Organic Chemistry?	6
Section 2.2: Elements, Atoms, and the Periodic Table	6
Elements and Abundance	6
Atomic Theory	8
Subatomic Particles	12
Protons determine the identity of an Element	14
Isotopes and Atomic Mass	14
Electrons and The Periodic Table of the Elements	16
Features of the Periodic Table	18
Chapter Summary	24

Chapter 2: Atoms, Elements and the Periodic Table

Section 2.1: What is Organic Chemistry?

Have you ever wondered why some plants can be used to make medicines while others are toxic and can kill you? Or why some foods are thought of as healthy while others are bad for you? Or how beverages like beer, cider and wine are made? This course is designed to introduce the reader to fundamental concepts in Organic Chemistry using consumer products, technologies and services as model systems to teach these core concepts and show how organic chemistry is an integrated part of everyday life.

Organic chemistry is a growing subset of chemistry. To put it simply, it is the study of all carbon-based compounds; their structure, properties, and reactions and their use in synthesis. It is the chemistry of life and includes all substances that have been derived from living systems. The application of organic chemistry today can be seen everywhere you look, from the plastic making up components of your computer, to nylon which make up your clothes, to macromolecules and cells that make up your very body! Organic chemistry has expanded our world of knowledge and it is an essential part of the fields of medicine, biochemistry, biology, industry, nanotechnology, rocket science, and many more!

To begin our discussions of organic chemistry, we need to first take a look at chemical elements and understand how they interact to form chemical compounds.

Section 2.2: Elements, Atoms, and the Periodic Table

Elements and Abundance

An **element** is a substance that cannot be broken down into simpler chemical substances. There are about 90 naturally occurring elements known on Earth. Using technology, scientists have been able to create nearly 30 additional elements that are not readily found in nature. Today, chemistry recognizes a total of 118 elements which are all represented on a standard chart of the elements, called the **Periodic Table** (Figure 2.1). Each element is represented by a one or two letter code, where the first letter is always capitalized and, if a second letter is

present, it is written in lowercase. For example, the symbol for Hydrogen is H, and the symbol for carbon is C. Some of the elements have seemingly strange letter codes, such as sodium which is Na. These letter codes are derived from latin terminology. For example, the symbol for sodium (Na) is derived from the latin word, natrium, which means sodium carbonate.




Figure 2.1: Elements. Some examples of pure elements include (A) Bismuth, Bi, a heavy metal is used as a replacement for lead and in some medicines, like pepto-bismol, the antidiarrheal and (B) Strontium, Sr, a major component in fireworks. (C) All of the elements that have been discovered are represented on the Periodic Table of Elements, which provides an elegant mechanism for not only displaying the elements, but describing many of their characteristics.

The elements vary widely in abundance. In the universe as a whole, the most common element is hydrogen (about 90%), followed by helium (most of the remaining 10%). All other elements are present in relatively minuscule amounts, as far as we can detect. On the planet Earth, however, the situation is rather different. Oxygen makes up 46.1% of the mass of Earth's crust (the relatively thin layer of rock forming Earth's surface), mostly in combination with other elements, while silicon makes up 28.5%. Hydrogen, the most abundant element in the universe, makes up only 0.14% of Earth's crust. Table 2.1 "Elemental Composition of Earth" lists the relative abundances of elements on Earth as a whole and in Earth's crust. Table 2.2 "Elemental Composition of a Human Body" lists the relative abundances of elements in the human body. If you compare Table 2.1 "Elemental Composition of Earth" and Table 2.2 "Elemental Composition of a Human Body", you will find disparities between the percentage of each element in the human body and on Earth. Oxygen has the highest percentage in both cases, but carbon, the element with the second highest percentage in the body, is relatively rare on Earth and does not even appear as a separate entry in Table 2.1 "Elemental Composition of Earth"; carbon is part of the 0.174% representing "other" elements. How does the human body concentrate so many apparently rare elements?

The relative amounts of elements in the body have less to do with their abundances on Earth than with their availability in a form we can assimilate. We obtain oxygen from the air we breathe and the water we drink. We also obtain hydrogen from water. On the other hand, although carbon is present in the atmosphere as carbon dioxide, and about 80% of the atmosphere is nitrogen, we obtain those two elements from the food we eat, not the air we breathe.

Atomic Theory

The modern atomic theory, proposed about 1803 by the English chemist John Dalton, is a fundamental concept that states that all elements are composed of atoms. An **atom** is the smallest part of an element that maintains the identity of that element. Individual atoms are extremely small; even the largest atom has an approximate diameter of only 5.4×10^{-10} m.

Table 2.1 Elemental Composition of Earth

Earth's Crust		Earth (Overall)	
Element	Percentage	Element	Percentage
Oxygen	46.1	Iron	34.6
Silicon	28.2	Oxygen	29.5
Aluminium	8.23	Silicon	15.2
Iron	5.53	Magnesium	12.7
Calcium	4.15	Nickel	2.4
Sodium	2.36	Sulfur	1.9
Magnesium	2.33	all others	3.7
Potassium	2.09		
Titanium	0.565		
Hydrogen	0.14		
Phosphorous	0.105		
All others	0.174		

Source: D. R. Lide, ed. CRC Handbook of Chemistry and Physics, 89th ed. (Boca Raton, FL: CRC Press, 2008–9), 14–17.

Table 2.2 Elemental Composition of the Human Body

Human Body		Human Body Cont.	
Element	Percent By Mass	Element	Percent By Mass
Oxygen	61	Sodium	0.14
Carbon	23	Chlorine	0.12
Hydrogen	10	Magnesium	0.027
Nitrogen	2.6	Silicon	0.026
Calcium	1.4	Iron	0.006
Phosphorous	1.1	Flourine	0.0037
Sulfur	0.20	Zinc	0.003
Potassium	0.20	All Others	0.174

Source: D. R. Lide, ed. CRC Handbook of Chemistry and Physics, 89th ed. (Boca Raton, FL: CRC Press, 2008–9), 7-24.

Looking Closer: Phosphorous, the Chemical Bottleneck

There is an element that we need more of in our bodies than is proportionately present in Earth's crust, and this element is not easily accessible. Phosphorus makes up 1.1% of the human body but only 0.105% of Earth's crust. We need phosphorus for our bones and teeth, and it is a crucial component of all living cells. Unlike carbon, which can be obtained from carbon dioxide, there is no phosphorus compound present in our surroundings that can serve as a convenient source. Phosphorus, then, is nature's bottleneck. Its availability limits the amount of life our planet can sustain.

Higher forms of life, such as humans, can obtain phosphorus by selecting a proper diet (plenty of protein); but lower forms of life, such as algae, must absorb it from the environment. When phosphorus-containing detergents were introduced in the 1950s, wastewater from normal household activities greatly increased the amount of phosphorus available to algae and other plant life. Lakes receiving this wastewater experienced sudden increases in growth of algae. When the algae died, concentrations of bacteria that ate the dead algae increased. Because of the large bacterial concentrations, the oxygen content of the water dropped, causing fish to die in large numbers. This process, called **eutrophication**, is considered a negative environmental impact.

Today, many detergents are made without phosphorus so the detrimental effects of eutrophication are minimized. You may even see statements to that effect on detergent boxes. It can be sobering to realize how much impact a single element can have on life—or the ease with which human activity can affect the environment.





Fig 2.2 Elemental forms of phosphorous. The photo represents **allotropes** of phosphorus. From left to right: white (yellow), red, violet, and black metallic.

Source: Helmenstine, T. (2015) Elements Webpage. Available at: <http://sciencenotes.org/phosphorus-facts/>





Fig 2.3 The environmental effects of phosphorous. Left: Eutrophication of the Potomac River. Right: Sodium triphosphate, once a component of many detergents, was a major contributor to eutrophication.

Photo By: Trubetskoy, A. (2012) Available at: <https://en.wikipedia.org/wiki/Eutrophication>

With that size, it takes over 18 million of these atoms, lined up side by side, to equal the width of your little finger (about 1 cm).

Most elements in their pure form exist as individual atoms. For example, a macroscopic chunk of iron metal is composed, microscopically, of individual iron atoms. Some elements, however, exist as groups of atoms called molecules. Several important elements exist as two-atom combinations and are called **diatomic molecules**. In representing a diatomic molecule, we use the symbol of the element and include the subscript 2 to indicate that two atoms of that element are joined together. The elements that exist as diatomic molecules are hydrogen (H₂), oxygen (O₂), nitrogen (N₂), fluorine (F₂), chlorine (Cl₂), bromine (Br₂), and iodine (I₂).

Subatomic Particles

There have been several minor but important modifications to Dalton's atomic theory. For one thing, Dalton considered atoms to be indivisible. We know now that atoms not only can be divided but also are composed of three different kinds of particles with their own properties that are different from the chemical properties of atoms.

The first subatomic particle was identified in 1897 and called the **electron**. It is an extremely tiny particle, with a mass of about 9.109×10^{-31} kg. Experiments with magnetic fields showed that the electron has a negative electrical charge.

By 1920, experimental evidence indicated the existence of a second particle. A **proton** has the same amount of charge as an electron, but its charge is positive, not negative. Another major difference between a proton and an electron is mass. Although still incredibly small, the mass of a proton is 1.673×10^{-27} kg, which is almost 2,000 times greater than the mass of an electron. Because opposite charges attract each other (while 'like' charges repel each other), protons attract electrons (and vice versa).

Finally, additional experiments pointed to the existence of a third particle, called a **neutron**. Evidence produced in 1932 established the existence of the neutron, a particle with about the same mass as a proton but with no electrical charge.

We understand now that all atoms can be broken down into subatomic particles: protons,

Table 2.3 Properties of Subatomic Particles

Particle	Symbol	Mass (kg)	Relative Mass (proton = 1)	Relative Charge
Proton	p ⁺	1.673×10^{-27}	1	+1
Neutron	n ⁰	1.675×10^{-27}	1	0
Electron	e ⁻	9.109×10^{-31}	0.00055	-1




Fig 2.4 The anatomy of an atom. The protons and neutrons of an atom are found clustered at the center of the atom in a structure called the nucleus. The electrons orbit the nucleus of the atom within an electron cloud, or the empty space that surrounds the atom's nucleus. Note that most of the area of an atom is taken up by the empty space of the electron cloud.

Source: https://upload.wikimedia.org/wikipedia/commons/2/24/Figure_02_01_01.jpg




Fig 2.5 The path of the electron in a hydrogen atom. Electrons are not in discrete orbits like planets around the sun. Instead there is a probability that an electron may occupy a certain space within the electron cloud (a) The darker the color, the higher the probability that the hydrogen's one electron will be at that point at any given time. (b) Similarly, the more crowded the dots, the higher the probability that hydrogen's one electron will be at that point. In both diagrams, the nucleus is in the center of the diagram.

neutrons, and electrons. Table 2.3 “Properties of the Subatomic Particles” lists some of their important characteristics and the symbols used to represent each particle. Experiment have shown that protons and neutrons are concentrated in a central region of each atom called the **nucleus** (plural, *nuclei*). Electrons are outside the nucleus and orbit about it because they are attracted to the positive charge in the nucleus. Most of the mass of an atom is in the nucleus, while the orbiting electrons account for an atom’s size. As a result, an atom consists largely of empty space. (Figure 2.4 and 2.5).

Protons determine the identity of an Element

As it turns out, the number of protons that an atom holds in its nucleus is the key determining feature for its chemical properties. In short, an element is defined by the number of protons found in its nucleus. The proton number within an element is also called its **Atomic Number** and is represented by the mathematical term, **Z** (Fig 2.6). If you refer back to the Periodic Table of Elements shown in figure 2.1, you will see that the periodic table is organized by the number of protons that an element contains. Thus, as you read across each row of the Periodic Table (left to right), each element increases by one proton (or one Atomic Number, Z).

Isotopes, Allotropes, and Atomic Mass

How many neutrons are in atoms of a particular element? At first it was thought that the number of neutrons in a nucleus was also characteristic of an element. However, it was found that atoms of the same element can have *different* numbers of neutrons. Atoms of the same element that have different numbers of neutrons are called **isotopes** (Fig. 2.7). For example, 99% of the carbon atoms on Earth have 6 neutrons and 6 protons in their nuclei; about 1% of the carbon atoms have 7 neutrons and 6 protons in their nuclei. Naturally occurring carbon on Earth, therefore, is actually a mixture of isotopes, albeit a mixture that is 99% carbon with 6 neutrons in each nucleus. Isotope composition has proven to be a useful method for dating many rock layers and fossils.

Most elements exist as mixtures of isotopes. In fact, there are currently over 3,500 isotopes known for all the elements. When scientists discuss individual isotopes, they need an efficient way to specify the number of neutrons in any particular nucleus. The **atomic mass (A)** of an




Fig 2.6 Structure of the Periodic Table. Each element on the periodic table is represented by the atomic symbol (Cu for Copper), the Atomic Number in the upper lefthand corner, and the Atomic Mass in the righthand corner.




Fig 2.7 Isotopes of Hydrogen. All hydrogen atoms have one proton and one electron. However, they can differ in the number of neutrons. (a) Most hydrogen atoms only contain one p+ and one e- and no neutrons (b) A small amount of hydrogen exists as the isotope deuterium, which has one proton and one neutron in its nucleus, and (c) an even smaller amount contains one proton and two neutrons in its nucleus and is termed Tritium. Note that Tritium is unstable isotope and will breakdown over time. Thus, Tritium is a radioactive element.


Example: Calculating Atomic Mass Using Isotope Abundances

Copper has two stable isotopes: ^{63}Cu (A = 62.93 Da) and ^{65}Cu (A = 64.93 Da). On Earth, the abundance of ^{63}Cu is 69.15%, whereas the abundance of ^{65}Cu is 30.85%. From this data, we can calculate the average atomic mass for Cu. Note that the Atomic Mass values on the periodic table, represent the average relative abundance of the isotopes found on the Earth.

$$(62.93 \text{ Da}) \left[\frac{69.15}{100} \right] + (64.93 \text{ Da}) \left[\frac{30.85}{100} \right] = 63.55 \text{ Da}$$

atom is the sum of the numbers of protons and neutrons in the nucleus (Fig. 2.6). Given the atomic mass for a nucleus (and knowing the atomic number of that particular atom), you can determine the number of neutrons by subtracting the atomic number from the atomic mass.

A simple way of indicating the mass number of a particular isotope is to list it as a superscript on the left side of an element's symbol. Atomic numbers are often listed as a subscript on the left side of an element's symbol. Thus, we might see



which indicates a particular isotope of copper. The 29 is the atomic number, Z , (which is the same for all copper atoms), while the 63 is the atomic mass (A) of the isotope. To determine the number of neutrons in this isotope, we subtract 29 from 63: $63 - 29 = 34$, so there are 34 neutrons in this atom.

Allotropes of an element are different and separate from the term isotope and should not be confused. Some chemical elements can form more than one type of structural lattice, these different structural lattices are known as **allotropes**. This is the case for phosphorus as shown in Figure 2.2. White phosphorus forms when four phosphorus atoms align in a tetrahedral conformation (Fig 2.8). The other crystal lattices of phosphorus are more complex and can be formed by exposing phosphorus to different temperatures and pressures. The cage-like lattice of red phosphorus can be formed by heating white phosphorus over 280°C (Fig 2.8). Note that allotropic changes affect how the atoms of the element interact with one another to form a 3-dimensional structure. They do not alter the sample with regard to the atomic isotope forms that are present, and DO NOT alter or affect the atomic mass (A) of the element.

Different allotropes of different elements can have different physical and chemical properties and are thus, still important to consider. For example, oxygen has two different allotropes with the dominant allotrope being the diatomic form of oxygen, O_2 . However, oxygen can also exist as O_3 , ozone. In the lower atmosphere, ozone is produced as a by-product in automobile exhaust,

and other industrial processes where it contributes to pollution. It has a very pungent smell and is a very powerful oxidant. It can cause damage to mucous membranes and respiratory tissues in animals. Exposure to ozone has been linked to premature death, asthma, bronchitis, heart attacks and other cardiopulmonary diseases. In the upper atmosphere, it is created by natural electrical discharges and exists at very low concentrations. The presence of ozone in the upper atmosphere is critically important as it intercepts very damaging ultraviolet radiation from the sun, preventing it from reaching the Earth's surface.




Figure 2.8 Allotropes of Phosphorus. (A) White phosphorus exists as a (B) tetrahedral form of phosphorus, whereas (C) red phosphorus has a more (D) cage-like crystal lattice. (E) The different elemental forms of phosphorus can be created by treating samples of white phosphorus with increasing temperature and pressure.

Source: https://en.wikipedia.org/wiki/Allotropes_of_phosphorus

Electrons and The Periodic Table of the Elements

Remember that electrons are 2000 times smaller than protons and yet each one contains an equal, but opposing charge. Electrons have a negative charge while protons have a positive charge. Interestingly, when elements exist in their elemental form, as shown on the periodic table, the number of electrons housed in an atom is equal to the number protons. Therefore, the electric charge of an element cancels itself out and the overall charge of the atom is zero.

Electrons are the mobile part of the atom. They move and orbit the nucleus of the atom in the electron cloud, the term used for the space around the nucleus. However, they do not move around in random patterns. Electrons have addresses, or defined orbital spins, within the electron cloud, much the same way our apartment buildings have addresses within our cities. To find the address of an electron, you need to know a little bit about the organization of the electron cloud (...or the city that the electron lives in).

The electron cloud of an atom is divided into layers, called shells, much the way an onion has layers when you peel it. However, it is incorrect to think of a shell as a single layer without thickness and depth to it. A shell has 3-dimensional space within it that contains a wide variety of 'apartments' or spaces for the electrons to occupy. Thus, the shell, or n number, is only the first part of an electron's address within an atom. It would be similar to only knowing the neighborhood where your friend lives. If you only know the neighborhood, it will be difficult to find your friend if you want to take them to dinner.

There are a total of 7 shells (or layers) that an atom can have to house its electrons. If an atom is small, it may only have 1 or 2 shells. Only very large atoms have all 7 layers. After this point, adding an 8th shell appears to make the atom too unstable to exist...at least we have never found atoms containing an 8th shell! In the periodic table (Fig. 2.9), you will notice that there are a total of 7 rows on the periodic table (note that the Lanthanide and Actinide rows of elements are generally shown below the main table to make them fit onto one page, but they really belong in the middle of rows 6 and 7 on the periodic table, according to their atomic numbers). Each of these rows represents an electron shell. Thus, as atoms get larger and house more electrons, they acquire additional shells, up to 7.

Within this textbook, we are not concerned with learning the addresses of all the electrons, but we are very interested about the electrons that are nearest to the surface of the atom, or the ones that are in the outer shell of the atom. The electrons that are closest to the surface of the atom are the most reactive and are integral in forming bonds between the atoms. These electrons are said to be housed in the atom's, **valence shell**, or the electron shell that is the farthest away from the nucleus of the atom. (or nearest to the surface of the atom).

Fig 2.9 Structure of the Periodic Table. Each element on the periodic table is represented by the atomic symbol (Cu for Copper), the Atomic Number in the upper lefthand corner, and the Atomic Mass in the righthand corner.

Source: Robson, G.(2006) Wikipedia https://en.wikipedia.org/wiki/Electron_shell

Features of the Periodic Table

Elements that have similar chemical properties are grouped in columns called groups (or families). As well as being numbered, some of these groups have names—for example, alkali metals (the first column of elements), alkaline earth metals (the second column of elements), halogens (the next-to-last column of elements), and noble gases (the last column of elements).

Each row of elements on the periodic table is called a period. Periods have different lengths; the first period has only 2 elements (hydrogen and helium), while the second and third periods have 8 elements each. The fourth and fifth periods have 18 elements each, and later periods are so long that a segment from each is removed and placed beneath the main body of the table.

Certain elemental properties become apparent in a survey of the periodic table as a whole. Every element can be classified as either a metal, a nonmetal, or a semimetal, as shown in Figure 2.10 “Types of Elements”. A metal is a substance that is shiny, typically (but not always) silvery in color, and an excellent conductor of electricity and heat. Metals are also malleable (they can be beaten into thin sheets) and ductile (they can be drawn into thin wires). A nonmetal is typically dull and a poor conductor of electricity and heat. Solid nonmetals are also very brittle. As shown in Figure 2.7 “Types of Elements”, metals occupy the left three-fourths of the periodic table, while nonmetals (except for hydrogen) are clustered in the upper right-hand corner of the periodic table. The elements with properties intermediate between those of

Another way to categorize the elements of the periodic table is shown in Figure 2.11 “Special Names for Sections of the Periodic Table”. The first two columns on the left and the last six columns on the right are called the main group elements. The ten-column block between these columns contains the transition metals. The two rows beneath the main body of the periodic table contain the inner transition metals. The elements in these two rows are also referred to as, respectively, the lanthanide metals and the actinide metals.

The periodic table is organized on the basis of similarities in elemental properties, but what explains these similarities? It turns out that the arrangement of the columns or families in the Periodic Table reflects how subshells are filled with electrons. Of note, elements in the




Fig 2.10. Types of Elements. Elements are either metals, nonmetals, or semimetals. Each group is located in a different part of the periodic table.




Fig 2.11. Special Names for Sections of the Periodic Table. Some sections of the periodic table have special names. For example, the elements lithium, sodium, potassium, rubidium, cesium, and francium are collectively known as alkali metals. Note that the main group elements do not include the transition metals.

same column share the same valence shell electron configuration. For example, all elements in the first column have a single electron in their valence shells. This last observation is crucial. Chemistry is largely the result of interactions between the valence electrons of different atoms. Thus, atoms that have the same valence shell electron configuration will have similar chemistry (Fig 2.12).




Fig 2.12. Number of Valence Shell Electrons. The placement of elements on the periodic table corresponds with the number of valence electrons housed in that element. Families (columns) on the periodic table all contain the same number of valence shell electrons, which gives them similar chemical properties and reactivities. You can easily count across the main group elements to see the increasing number of electrons in the valence shell. All of the transition metals have 2 e⁻ in their valence shell, although they also contain an inner orbital subshell that is very close to the valence shell. This gives some of these metals different levels of reactivity. Note that the maximum number of valence shell electrons possible is 8, and that is obtained only by the Noble Gases.

To Your Health: Transition Metals in the Body

According to Table 2.2 “Elemental Composition of a Human Body”, most of the elemental composition of the human body consists of main group elements. The first element appearing on the list that is not a main group element is iron, at 0.006 percentage by mass. Because iron has relatively large atoms, it would appear even lower on a list organized in terms of percent by number of atoms rather than percent by mass.

Iron is a transition metal. Transition metals have interesting chemical properties, because some of their electrons are in an orbital subshell just below the valence shell. Thus, electrons in the valence shell can sometimes shift into this lower subshell, or electrons from the lower subshell can also be used in chemical bonding. The unique chemistry of iron makes it a key component in the proper functioning of red blood cells.

Red blood cells are cells that transport oxygen from the lungs to cells of the body and then transport carbon dioxide from the cells to the lungs. Without red blood cells, animal respiration as we know it would not exist. The critical part of the red blood cell is a protein called hemoglobin. Hemoglobin combines with oxygen and carbon dioxide, transporting these gases from one location to another in the body. Hemoglobin is a relatively large molecule, with a mass of about 65,000 u.

The crucial atom in the hemoglobin protein is iron. Each hemoglobin molecule has four iron atoms, which act as binding sites for oxygen. It is the presence of this particular transition metal in your red blood cells that allows you to use the oxygen you inhale.

To Your Health: Transition Metals in the Body

Other transition metals have important functions in the body, despite being present in low amounts. Zinc is needed for the body's immune system to function properly, as well as for protein synthesis and tissue and cell growth. Copper is also needed for several proteins to function properly in the body. Manganese is needed for the body to metabolize oxygen properly. Cobalt is a necessary component of vitamin B-12, a vital nutrient. These last three metals are not listed explicitly in Table 2.2 "Elemental Composition of a Human Body", so they are present in the body in very small quantities. However, even these small quantities are required for the body to function properly.




Fig 2.12. Role of iron in oxygen transportation. The hemoglobin protein makes up about 95% of the dry content of the red blood cell and each hemoglobin protein can bind and carry four molecules of oxygen (O₂).

Adapted from: <https://en.wikipedia.org/wiki/Hemoglobin> and <https://en.wikipedia.org/wiki/Capillary>

Chapter Summary

To ensure that you understand the material in this chapter, you should review the meanings of the following bold terms and ask yourself how they relate to the topics in the chapter.

An element is a substance that cannot be broken down into simpler chemical substances. Only about 90 naturally occurring elements are known. They have varying abundances on Earth and in the body. Each element has a one- or two-letter chemical symbol.

The modern atomic theory states that the smallest piece of an element is an atom. Individual atoms are extremely small, on the order of 10⁻¹⁰ m across. Most elements exist in pure form as individual atoms, but some exist as diatomic molecules. Atoms themselves are composed of subatomic particles. The electron is a tiny subatomic particle with a negative charge. The proton has a positive charge and, while small, is much larger than the electron. The neutron is also much larger than an electron but has no electrical charge.

Protons, neutrons, and electrons have a specific arrangement in an atom. The protons and neutrons are found in the center of the atom, grouped together into a nucleus. The electrons are found in fuzzy clouds around the nucleus.

Each element has a characteristic number of protons in its nucleus. This number of protons is the atomic number of the element. An element may have different numbers of neutrons in the nuclei of its atoms;

such atoms are referred to as isotopes. Two isotopes of hydrogen are deuterium, with a proton and a neutron in its nucleus, and tritium, with a proton and two neutrons in its nucleus. The sum of the numbers of protons and neutrons in a nucleus is called the mass number and is used to distinguish isotopes from each other.

Masses of individual atoms are measured in atomic mass units. An atomic mass unit is equal to 1/12th of the mass of a single carbon-12 atom. Because different isotopes of an element have different masses, the atomic mass of an element is a weighted average of the masses of all the element's naturally occurring isotopes.

The modern theory of electron behavior is called quantum mechanics. According to this theory, electrons in atoms can only have specific, or quantized, energies. Electrons are grouped into general regions called shells, and within these into more specific regions called subshells. There are four types of subshells, and each type can hold up to a maximum number of electrons. The distribution of electrons into shells and subshells is the electron configuration of an atom. Chemistry typically occurs because of interactions between the electrons of the outermost shell of different atoms, called the valence shell electrons. Electrons in inner shells are called core electrons.

Elements are grouped together by similar chemical properties into a chart called the periodic table. Vertical columns of elements are called groups or families. Some of the groups of elements have names, like the alkali metals, the alkaline earth metals, the halogens, and the noble gases. A horizontal row of elements is called a period. Periods and groups have differing numbers of elements in them. The periodic

table separates elements into metals, nonmetals, and semimetals. The periodic table is also separated into main group elements, transition metals, lanthanide elements, and actinide elements. The lanthanide and actinide elements are also referred to as inner transition metal elements. The shape of the periodic table reflects the sequential filling of shells and subshells in atoms.

The periodic table helps us understand trends in some of the properties of atoms. One such property is the atomic radius of atoms. From top to bottom of the periodic table, atoms get bigger because electrons are occupying larger and bigger shells. From left to right across the periodic table, electrons are filling the same shell but are being attracted by an increasing positive charge from the nucleus, and thus the atoms get smaller.